

DTS-V series



Advantages

- Reduce Labour costs upto 30%
- Increase packing line speed with 15%
- Reduce overweight by controlled ledbar
- Reduce airfreight costs
- Improve individual operator performance
- Ensure consistently packed products
- Ensure a return on investment within one season or less

The manual packing of fresh produced product requires a blend of speed, accuracy, care and flexibility to ensure the packed product reaches the consumer in the best condition.

Skills which are not always standard available on the market. It mostly takes years to get the right experience , even after several years of product / packages changes there is always room for progress.

LRE has developed a new range of intelligent scales supplied with the necessary skills you are looking for. The DTS-V will give your operators the tools they need to optimize their production speed, accuracy, care and flexibility.

To monitor the production results we offer our software “Datamanager” . Datamanager will give all the necessary production information you are looking for.

- packed products
- packed weight
- yield / average weight
- over / under weight
- all details per worker or package



How does it work?

DTS-V ensures you consistently packed products within the target weight, reducing give-away and ensuring optimum production speed

- Intuitive ledbar with 1 lamp = 1 fruit indication and target assurance
- High speed weighing module for optimal speed performance
- Informative full colour display with product and user information
- User log on / log off functionality



For which products?

- Vegetables
- Soft fruits and berries
- Herbs
- Prepared meals and salads

Easy fast and accurate.

DTS-V is developed for weighing products in an easy, fast and accurate way.

The DTS-V has a unique intuitive ledbar system, which informs the user how many product to add or deduct to come onto your target weight.

The ledbar system is free programmable so that each product can be set by its own unique parameters. For example it is possible to set up low, average and heavy product weight for the exact right information.

The ledbar will inform the user in an early stage what to do, which prevents unnecessary handlings and improve their packing speed per hour.


The ledbar will give you optimal control on the weight result, as it is possible to set and handle your target weights, but also to prevent over and under weight by blocking the scale when wrong weights have been sent out by the worker.

Specifications:

- 999 product memory
- 999 user memory
- full color display, 5,7 inch
- Stainless steel indicator
- Numerical keys 0-9, enter, esc, PT,
- Tare and zero functionality
- F1,F2,F3,F4 function keys
- 230V power connection

Options

- Datamanager software
- Customized firmware
- Barcode scanner
- 2nd platform connection
- Negative weighing
- Auto tare functionality
- Dynamic weighing
- Memory upgrade



Capacity	Division	280 x 280mm	400 x 500mm	500 x 500mm
3kg	1g	•		
6kg	2g	•		
15kg	5g	•	•	•
30kg	10g	•	•	•
60kg	20g		•	•
150kg	50g		•	•